


D6

Street Sweeper


Ideal for all conditions and situations













Efficiency Everywhere

Savings in water consumption

Water is only used to cut down on dust on the external brushes.

12 months of use

12 months of useAbility to sweep even without using water makes it possible to also workwith low outdoor temperatures.

No sweeping limit


Possibility of collecting light, heave and even bulky material.

High filtering rate

Dust filter for constant and efficient filtering in all condition.









Smart Thinking

Dulevo Telematic (Tierra)

Possibility to remotely access the vehicle diagnostics and information.

Set-up for remote connectivity 4.0

Two-way interface system.

Smart City

Touchscreen Panel

User friendly and Easy Start functions.

Can Bus


In/Out communication system of the sweeping functions and motor on CAN-BUS protocol.

On-board diagnostics

Possibility to directly access the function diagnostics and the motor status indicationsfrom the display.









Designed for People

Greater cabin space

Tunnel removal and the possibility of having up to 3 cabin seats.

Less noise in the cab

Less than 70 db thanks to the new soundproofing concept.

Ergonomic cabin layout

Layout of controls and display of ergonomic and adjustable functions according to the operator's needs.

- 10" Interactive display for sweeping function.
- 4.3" display for engine and road circulation functions.
- Armrest with multifunction Joystick.

Filtering and pressurisation system

System designed to meet the high standards and regulations of the Agriculture sector.

Simplified daily maintenance


- Hydraulic opening of the Box Door.
- Conveyor washing with hydrant connection.
- Water system draining system.
- 50% faster central brush replacement system.

Cabin disinfection and sanitisation

The cab can also be sanitised through photocatalytic oxidation.









Adaptive Technology

A.S.T.

- Possibility of selecting different work programs:
 STD,ECO, Boost and Leaves.
- Possibility of storing customised work programs by operator, environment or work mode.

Adjustable Working Speed (A.W.S.)

Possibility of adjusting the maximum working speed.

Memory

Possibility of putting the functions in Stand-by and resume work with the same configuration.

Adaptive sweeping width

Ability of the side brushes to open and close according to the steering angle.


4 and 2 steering wheel system

- Possibility of selecting the most comfortable transfer mode.
- 4 steering wheels for maximum manoeuvrability.
- 2 steering wheels for greater comfort and driving precision/ simplicity.
- Automatic alignment of the wheels.





11





12

Reduced environmental impact

Low fine dust emissions

EN15429 certified filtration system. Possibility to mount Gore filters to increase performance.

Low sound power

Less than 100 db thanks to Load Sensing.

Reduced water consumption

The mechanical suction system allows the machine to work, drastically reducing water consumption.

Low fine dust emissions

Euro 6C engine. The engine complies with the most recent European emission regulations.

Low fuel consumption

Electronic transmission and high sweeping speed.







13






Technical data		D6
Sweeping width		
- With central brush	mm	1300
- With central brush and side brushes	mm	2800
- With central, side brushes and third brush	mm	3600
Container volume	m³	6,2
Dumping height (OPT.)	mm	1150 (2400)
Seats in the cabin (OPT.)	n°	2 (3)
Cleaning performance	m²/h	108.000
Maximum speed	Km/h	25 - 40 - 50
Steering diameter Kerb to Kerb	mm	9675
PM Certification		PM 2,5/PM10****
Engine Brand		FPT industrial (Iveco)
Engine emissions		EURO 6 C
Fuel		Diesel







15





Dulevo International S.p.A. Via Giovannino Guareschi, 1 43012 Fontanellato (PR) Italia

Tel: +39-0521-827711 Fax: +39-0521-827795

www.dulevo.com

